

IAP6 Rec'd PCT/PTO 29 DEC 2005

Our ref: INA-21

Client's ref: 4228-18-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

-----X

In re Application of: Georg HOFMANN :

International Application

PCT/EP2004/005976

:Dated: December 29,
2005

Int'l. Filing date: June 3, 2004 :

Serial No. : To be determined :

Filed : Concurrently Herewith :

Title : HYDRAULIC SUPPORT ELEMENT:

-----X

INFORMATION DISCLOSURE STATEMENT**MAIL STOP - BOX PCT**

Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

S i r:

Enclosed are an International Search Report, a German Search Report, PTO Form SB/08A citing each of the references cited in these Reports, and copies of each of the non-U.S. Patent Office references.

10/562941

IAP6 Rec'd PCT/PTO 29 DEC 2005

Should any fees be necessary in order to maintain this Application in pending condition, appropriate requests are hereby made and authorization is given to debit account #02-2275.

Respectfully submitted,

LUCAS & MERCANTI, LLP

By: Donald C. Lucas
Donald C. Lucas, 31,275
Attorney for Applicant(s)
475 Park Avenue South, 15th Floor
New York, New York
Tel. # 212-661-8000

DCL/mr

Encl: PTO Form SB/08A and references

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Complete if Known

Application Number	10/562941
Filing Date	Concurrently herewith
First Named Inventor	Georg HOFMANN
Art Unit	
Examiner Name	
Attorney Docket Number	INA-21

Sheet 1 of 1

U. S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T ⁶
		Country Code ³ Number ⁴ Kind Code ⁵ (if known)				
		DE 197 06 738 A1	08-27-1998	INA WALZLAGER...		
		DE 44 42 932 A1	06-05-1996	INA WALZLAGER...		
		DE 198 30 427 A1	01-13-2000	INA WALZLAGER...		
		DE 195 15 434 A1	10-31-1996	INA WALZLAGER...		
		DE 195 00 575 A1	07-18-1996	INA WALZLAGER...		
		EP 0 953 734 A1	11-03-1999	EATON CORP.		

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.